


AvanTech YOU double walled drawer system

- ▶ Actro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers

11 A Actro YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated Silent System
- ▶ Optionally upgradable with Push to open Silent
- ▶ Load capacity 40 / 70 kg
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel

Load class L (40 kg)

Nominal length	Order no.	PU	Order no. / mounting side		PU
			left	right	
270	9 318 186	1 pair			
300	9 318 187	1 pair			
350	9 318 188	1 pair			
400			9 318 175	9 318 176	10 ea.
450			9 318 177	9 318 178	10 ea.
500			9 318 179	9 318 180	10 ea.
550			9 318 181	9 318 182	10 ea.
600	9 318 196	1 pair			

Load class XL (70 kg)


Nominal length	Order no.	PU
450	9 318 215	1 pair
500	9 318 216	1 pair
550	9 318 217	1 pair
600	9 318 218	1 pair
650	9 318 219	1 pair

AvanTech YOU double walled drawer system




- ▶ Actro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers

Lengthwise cross-section

AvanTech YOU drawer
Cabinet body front edge



AvanTech YOU internal drawer




Installation dimensions with Silent System / Push to open Silent

Nominal length mm	Hole spacing b1 mm	Hole spacing b2 mm*	Drawer Minimum cabinet body depth mm	Internal drawer / Minimum cabinet body depth mm
270	160		273	282
300	160		303	312
350	224		353	362
400	224		403	412
450	256	288	453	462
500	256	320	503	512
550	256	320	553	562
600	256	320	603	612
650	256	416	653	662

* Hole spacing b2 for Actro XL only

Actro YOU catch



- ▶ For using Actro YOU with wooden drawers
- ▶ Height adjustment up to + 3 mm
- ▶ Zinc die-cast / plastic

Cabinet side	Order no.	PU
left	9 257 263	100 ea.
right	9 257 264	100 ea.

Information

▶ AvanTech YOU drawer	268 - 283	▶ Actro YOU / Quadro YOU drawer runners	300 - 307
▶ AvanTech YOU Inlay	284 - 286	▶ Push to open Silent	302 - 303, 306 - 307
▶ Rear panel options	288 - 289	▶ Quality criteria	544
▶ Design options / accessories	294 - 298		




hettich.com/short/45025e

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Actro YOU

Push to open Silent opening system for Actro YOU



- Can be used with AvanTech YOU system drawer on Actro YOU drawer runner with Silent System
- Optional synchronisation possible

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Actro kg	Nominal length mm	Order no.	PU
8 - 20	40	270 - 650	9 257 891	1 set
10 - 40	40	270 - 650	9 257 892	1 set
20 - 70	70	400 - 650	9 257 893	1 set

Recommendation for drawer (front panel height up to approx. 150 mm)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
270												
300												
350												
400												
450												
500												
550												
650												

Recommendation for drawer (front panel height up to approx. 300 mm, light to medium duty loading)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
270												
300												
350												
400												
450												
500												
550												
650												

Recommendation for drawer (front panel height up to approx. 300 mm, carrying heavy load, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm											
	275	300	350	400	500	600	700	800	900	1000	1100	1200
270												
300												
350												
400												
450												
500												
550												
650												

Order no. Push to open Silent:

9 257 891

9 257 892


9 257 893

* Recommendations for applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Actro YOU

Optional synchronisation for Push to open Silent



- Recommended for cabinet body widths > 600 mm

Synchronisation bar:


- For cutting to length
- Length 2000 mm
- Aluminium anodised

Connector:

- For connecting 2 synchronisation bars
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1 ea.
2 Connectors	9 221 295	20 ea.


Optional multisynchronisation for Push to open Silent



- Synchronisation bar for cutting to length, 2000 mm
- Connector for minimising offcut waste
- Recommended for cabinet body widths > 600 mm; can be used from 275 mm
- Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	100 ea.
3 Connectors	9 278 452	20 ea.


Optional flexible adapter for synchronisation



- For use in conjunction with lowered drawer runners (angled fronts)
- Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	20 ea.

Optional synchronisation deflector for Push to open Silent



- For moving the synchronisation bar by 50, 90 or 140 mm

Set comprises:

- 2 housings
- 2 adapters for Push to open unit
- 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set

Information

► AvanTech YOU drawer	268 – 283	► Actro YOU / Quadro YOU drawer runners	300 – 307
► AvanTech YOU Inlay	284 – 286	► Push to open Silent	302 – 303, 306 – 307
► Rear panel options	288 – 289	► Quality criteria	544
► Design options / accessories	294 – 298		




hettich.com/short/370f63

AvanTech YOU double walled drawer system

- ▶ Quadro YOU drawer runner with Silent System
- ▶ For AvanTech YOU or wooden drawers

11 B Quadro YOU drawer runner with Silent System



- ▶ Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- ▶ Integrated Silent System
- ▶ Optionally upgradable with Push to open Silent
- ▶ Load capacity 30 kg
- ▶ Load capacity to EN 15338, Level 3
- ▶ Galvanised steel


Load class M (30 kg)

Nominal length mm	Order no.	PU	Order no. / mounting side		PU
			left	right	
270	9 256 883	1 pair			
300	9 256 884	1 pair			
350	9 256 886	1 pair			
400			9 256 864	9 256 865	20 ea.
450			9 256 868	9 256 869	20 ea.
500			9 256 872	9 256 873	20 ea.
550			9 256 876	9 256 877	20 ea.
600	9 256 896	1 pair			

AvanTech YOU double walled drawer system

- Quadro YOU drawer runner with Silent System
- For AvanTech YOU or wooden drawers


Lengthwise cross-section



Installation dimensions with Silent System / Push to open Silent

Nominal length mm	Hole spacing b1 mm	Drawer Minimum cabinet body depth mm	Internal drawer / Minimum cabinet body depth mm
270	160	273	282
300	160	303	312
350	224	353	362
400	224	403	412
450	256	453	462
500	256	503	512
550	256	553	562
600	256	603	612

Quadro YOU catch




- For using Quadro YOU with wooden drawers
- Height adjustment up to + 3 mm
- Plastic

Cabinet side	Order no.	PU
left	9 257 260	100 ea.
right	9 257 261	100 ea.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Quadro YOU

Push to open Silent opening system for Quadro YOU



- Can be used with AvanTech YOU system drawer on Quadro YOU drawer runner with Silent System
- Optional synchronisation possible

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Load class Quadro kg	Nominal length mm	Order no.	PU
8 - 20	30 kg	270 - 600	9 257 895	1 set
10 - 30	30 kg	350 - 600	9 257 896	1 set

Recommendation for drawer (front panel height up to approx. 150 mm, light duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for drawer (front panel height up to approx. 300 mm, medium duty loading)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

Nominal length mm	Nominal width mm												
	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Order no. Push to open Silent:

9 257 895


9 257 896

* Recommendations for standard applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Quadro YOU

Optional synchronisation for Push to open Silent



- Recommended for cabinet body widths > 600 mm

Synchronisation bar:


- For cutting to length
- Length 2000 mm
- Aluminium anodised

Connector:

- For connecting 2 synchronisation bars
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1 ea.
2 Connectors	9 221 295	20 ea.


Optional multisynchronisation for Push to open Silent



- Synchronisation bar for cutting to length, 2000 mm
- Connector for minimising offcut waste
- Recommended for cabinet body widths > 600 mm; can be used from 275 mm
- Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1 ea.
3 Connectors	9 278 452	20 ea.


Optional flexible adapter for synchronisation



- For use in conjunction with lowered drawer runners (angled fronts)
- Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	20 ea.

Optional synchronisation deflector for Push to open Silent



- For moving the synchronisation bar by 50, 90 or 140 mm

Set comprises:

- 2 housings
- 2 adapters for Push to open unit
- 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set

Information

► AvanTech YOU drawer	268 – 283	► Actro YOU / Quadro YOU drawer runners	300 – 307
► AvanTech YOU Inlay	284 – 286	► Push to open Silent	302 – 303, 306 – 307
► Rear panel options	288 – 289	► Quality criteria	544
► Design options / accessories	294 – 298		



hettich.com/short/370f63