


Push to open Silent opening system



- For optimum performance and activation, fitting an optional synchronisation function is recommended

Set comprises:

- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

Total weight kg	Load class for Quadro	Nominal length mm	Order no. #	PU
< 10	XS (10 kg)	270 - 350	9 257 894	1 set
8 - 20	M (30 kg)	270 - 600	9 257 895	1 set
10 - 30	M (30 kg)	350 - 600	9 257 896	1 set

Recommendation for drawer (front panel height up to approx. 150 mm, light loading)*

	Nominal width mm												
Nominal length mm	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, medium duty loading)*

	Nominal width mm												
Nominal length mm	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Recommendation for pot-and-pan drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

	Nominal width mm												
Nominal length mm	275	300	350	400	450	500	550	600	700	800	900	1000	1200
270													
300													
350													
400													
450													
500													
550													
600													

Order no. Push to open Silent:

9 257 894

9 257 895


9 257 896

* Recommendations for applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

AvanTech YOU double walled drawer system

► Push to open Silent opening system for Quadro V6 YOU

Optional synchronisation for Push to open Silent



Synchronisation bar:


- For cutting to length, length 2000 mm
- Aluminium, anodised

Connector:

- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
8 Connector	9 221 295	1/20 ea.


Optional multi-synchronisation for Push to open Silent



- For two drawers connected by one front panel
- Aluminium, anodised, grey plastic

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
6 Push to open Silent multi synchronisation adapter	9 278 452	1/20 ea.


Flexible adapter for Push to open Silent synchronisation



- For lowered drawer runners with angled or curved fronts
- Depth offset max. 150 mm
- Angle at synchronisation bar max. 25°
- Replaces the adapter for synchronisation in the Push to open Silent set

Order no.	PU
9 262 213	1/20 ea.

Deflector for Push to open Silent synchronisation



- For use with e.g. U-bend applications
- Permits synchronisation in 3 different depth positions

Set comprises:

- 2 housings with premounted deflection bar
- 2 adapters for Push to open unit
- 2 adapters for synchronisation bar

Order no.	PU
9 278 453	1 set

Advice

- | | | | |
|---|-----------|---|-----------------------|
| ► AvanTech YOU drawer | 220 - 225 | ► Design options / accessories / illumination | 250 - 259 |
| ► AvanTech YOU pot-and-pan drawer | 226 - 229 | ► Actro YOU / Quadro V6 YOU drawer runners | 260 - 269 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 230 - 232 | ► Push to open Silent | 262 - 263 / 266 - 267 |
| ► Internal front panel options | 234 - 239 | ► Quality criteria | 356 |




hettich.com/short/370f63

AvanTech YOU double walled drawer system

- Quadro V6 YOU drawer runner with Push to open
- Load class M (30 kg)




11 B Quadro V6 YOU drawer runner with Push to open



- Full extension runner for combining with AvanTech YOU system drawer or wooden drawer with catches
- Integrated **Push to open** opening mechanism
- Optional: synchronisation / multi synchronisation
- Load class M (30 kg)
- Load capacity to EN 15338, Level 3
- Galvanised steel

Nominal length mm	Order no. / Mounting side		PU
	left	right	
Load class M (30 kg)			
270	9 256 899	9 256 900	20 ea.
300	9 256 901	9 256 902	20 ea.
350	9 256 905	9 256 906	20 ea.
400	9 256 909	9 256 910	20 ea.
450	9 256 913	9 256 914	20 ea.
500	9 256 917	9 256 918	20 ea.
550	9 256 921	9 256 922	20 ea.
600	9 256 925	9 256 926	20 ea.

Synchronisation, Quadro V6 YOU Push to open



Synchronisation bar:

- For cutting to length, length 2000 mm
- Aluminium, anodised

Connector:

- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

Adapter:

- Type A for Quadro V6 YOU
- Plastic, grey

Article	Order no.	PU
1 Synchronisation bar	9 236 718	1/100 ea.
2 Adapter type A	9 219 966	1/200 ea.
8 Connector	9 221 295	1/20 ea.

Advice

- | | | | |
|---|-----------|---|-----------------------|
| ► AvanTech YOU drawer | 220 - 225 | ► Design options / accessories / illumination | 250 - 259 |
| ► AvanTech YOU pot-and-pan drawer | 226 - 229 | ► Push to open Silent | 262 - 263 / 266 - 267 |
| ► AvanTech YOU Inlay pot-and-pan drawer | 230 - 232 | ► Quality criteria | 356 |
| ► Internal front panel options / rear panel options | 234 - 240 | | |



hettich.com/short/45025e

AvanTech YOU double walled drawer system




- Quadro V6 YOU drawer runner with Push to open
- Load class M (30 kg)



Lengthwise cross-section



AvanTech YOU drawer / pot-and-pan drawer

← Cabinet body front edge



AvanTech YOU internal drawer / internal pot-and-pan drawer


← Cabinet body front edge
Push to open



Installation dimensions for Quadro V6 YOU with Push to open

Nominal length mm	Hole spacing b1 mm	Drawer / pot-and-pan drawer Minimum cabinet body depth LT mm	Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth LT mm
270	160	273	291
300	160	303	321
350	224	353	371
400	224	403	421
450	256	453	471
500	256	503	521
550	256	553	571
600	256	603	621

YOU catch



- For using Quadro V6 YOU with wooden drawers
- Height adjustment up to + 3 mm
- Plastic anthracite

Advice:

- Plug for pull-out shelf applications must be ordered separately

Mounting side	Order no.	PU
left and right	9 257 262	5 pair
left	9 257 260	100 ea.
right	9 257 261	100 ea.